





UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/588,547	06/06/2000	TARO TERAO	106408	8229

25944 7590 05/24/2004

OLIFF & BERRIDGE, PLC
P.O. BOX 19928
ALEXANDRIA, VA 22320



EXAMINER

KIM, JUNG W

ART UNIT	PAPER NUMBER
----------	--------------

2132

DATE MAILED: 05/24/2004

7

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED

JUN 07 2004

Technology Center 2100

DUE DATE


JUN 24 2004

DOCKETED

By MDI on 5/26 2004
and
By Amc on 5/26 2004
Oliff & Berridge



UNITED STATES PATENT AND TRADEMARK OFFICE



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. Box 1450
ALEXANDRIA, VA 22313-1450
www.uspto.gov

Paper No. 7

Notice of Non-Compliant Amendment (37 CFR 1.121)

The amendment document filed on 5/13/04 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121, as amended on June 30, 2003 (see 68 Fed. Reg. 38611, Jun. 30, 2003). In order for the amendment document to be compliant, correction of the following item(s) is required. Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted. 37 CFR 1.121(h).

THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

☐ 1. Amendments to the specification:

- ☐ A. Amended paragraph(s) do not include markings.
☐ B. New paragraph(s) should not be underlined.
☐ C. Other _____

RECEIVED

JUN 07 2004

Technology Center 2100

☐ 2. Abstract:

- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
☐ B. Other _____

☒ 3. Amendments to the drawings: see attachment☐ 4. Amendments to the claims:

- ☐ A. A complete listing of all of the claims is not present.
☐ B. The listing of claims does not include the text of all claims (including withdrawn claims)
☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified.
☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
☐ E. Other: _____

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP Sec. 714 and the USPTO website at <http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officeflyer.pdf>.

If the non-compliant amendment is a **PRELIMINARY AMENDMENT**, applicant is given **ONE MONTH** from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and this **ONE MONTH** time limit is not extendable.

If the non-compliant amendment is a reply to a **NON-FINAL OFFICE ACTION** (including a submission for an RCE), and since the amendment appears to be a *bona fide* attempt to be a reply (37 CFR 1.135(c)), applicant is given a **TIME PERIOD** of **ONE MONTH** from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).**

If the amendment is a reply to a **FINAL REJECTION**, this form may be an attachment to an Advisory Action. The period for response to a final rejection continues to run from the date set in the final rejection, and is not affected by the non-compliant status of the amendment.

Kim Watson-Burdick
Legal Instruments Examiner (LIE)

703.306.4139
Telephone No.

Attachment to #3 Amendment to the drawings
each sheet of replacement or annotated drawings
must be labeled in the top margin as
"replacement" or "annotated"



RECEIVED

JUN 07 2004

Technology Center 2100